



ZEE LABORATORIES LTD
Behind 47, Industrial Area, Gondpur Paonta Sahib Sirmour HP INDIA 173025

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

(The Drugs & Cosmetics Act 1940 at the under form 39)

Work Order No. : 262,711,754





Sample Rec No. : 262,715,015

QC No. : 262717571

Ref. STS No.	265	Product Code	FG05329
Product Name	TAB. BACLOZEE 10		
Generic Name	BACLOFEN TABLETS I.P. 10MG		
Batch No.	426-798	Date Of Sampling	16/06/2026
Batch Size	100000.000 Tab	Sample Quantity	60.000 Tab
Mfg. Date	05/2026	Exp. Date	04/2029
A. R. No.	ZL26FG04350	Date Of Report	18/06/2026

S NO.	Tests	Specification	Results
1	Description	White colour, rounded, biconvex uncoated tablets, both side are smooth.	Complies
2	Identification A By TLC	The principal spot in the chromatogram obtained with the test solution corresponds to that in the chromatogram obtained with the reference solution.	Complies
3	Identification B By HPLC	In the Assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution.	Complies
4	Average Weight of Table	120.0 mg $\pm$ 7.5%	119.7 mg
5	Uniformity of Weight	Not more than two of the individual weights deviate from tr average weight by more than the 7.5 % and none deviates by more than 15 %	-3.18% to + 2.68%
6	Disintegration Time	Not more than 15 minutes	02:10 Min
7	Friability test	NMT 1.0% w/w	0.46 %
8	Dissolution Test	Q Not less than 70% of the labeled amount of Baclofen	93% to 99 %
9	Lactam	The area of any peak corresponding to baclofen impurity A (lactam) is not greater than the area of the peak in the chromatogram obtained with reference solution (a) 2.0 %.	Complies
10	Uniformity of content	Should be complies	102% to 103%
11	Assay : Each uncoated tablet contains Baclofen B.P. 10 mg	NLT 90.0% and NMT 110.0% of the labeled amount	99.1 %

Remarks The above sample complies/does not comply with prescribed standards of Quality with respect to above tests as per IP/BP/USP/in-house specification.

Particulars	Analysis By	Prepared By	Checked By	Approved By
Sign & Date	 18/06/26	 18/06/2026	 18/06/2026	 18/06/2026
Name:	Nitin Rao	Mr. Raghuveer	Atul Sharma	Atul Sharma
Designation:	officer QC	officer QC	Sr. Executive QC	Atul Sharma