



ZEE LABORATORIES LTD

Behind 47, Industrial Area, Gondpur Paonta Sahib Sirmour HP INDIA 173025

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT) (The Drugs & Cosmetics Act 1940 at the under form 39)

Work Order No. :

Document No. : 252618403

Ref. STS No.	847	Product Code	FG03326
Product Name	FRESHZEX MOUTH WASH		
Generic Name	CHLORHEXIDINE GLUCONATE SOLUTION		
Batch No.	625-377	Date Of Sampling	03/06/2025
Batch Size	6000.000 Bott.	Sample Quantity	10.000 Bott.
Mfg. Date	05/2025	Exp. Date	04/2027
A. R. No.	ZL25FG04186	Date Of Release	10/06/2025
S NO.	Tests	Specification	Results
1	Description	A Sky blue colour Soliution filled in clear transparent pet bottle properly sealed & labeled.	Complies
2	Identification	Should be positive for Chlorhexidine Gluconate Solution.	Complies
3	Average filling	100 ml \pm 4.5%	100.0ml
4	Uniformity of filling	Average Filling \pm 4.5%.	Complies
5	4-Chloroaniline.	NMT 0.3%	Complies
6	Related substances.	Should be complies	Complies
7	pH	Between 4.0 to 9.0	7.18
8	Assay composition :- Chlorhexidine gluconate solution I.P Diluted to Chlorhexadine Gluconate 0.2 % w/v	NLT 95.0% and NMT 105.0% of the labeled amount of Chlorhexidine Gluconate .	102.7 %

Remarks The above sample complies/~~does not comply~~ with prescribed standards of Quality with respect to above tests as per IP/BP/USP/In house specification.

Particulars	Prepared By	Checked By	
Sign & Date	<i>10/06/2025</i>	<i>10/06/2025</i>	
Name:	<i>Harshveer</i>	<i>Dheren</i>	
Designation:	<i>Officer</i>	<i>Analyst</i>	

ZEE/QC/072/02-00