



ZEE LABORATORIES LTD
Behind 47, Industrial Area, Gondpur Paonta Sahib Sirmour HP INDIA 173025

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

(The Drugs & Cosmetics Act 1940 at the under form 39)

Work Order No. :

Document No. : 252622172

| | | | |
|--------------|--|------------------|------------|
| Ref. STS No. | 152 | Product Code | FG07373 |
| Product Name | TAB. BISOLINE-5 | | |
| Generic Name | BISOPROLOL FUMARATE TABLETS U.S.P. 5MG | | |
| Batch No. | 425-1293 | Date Of Sampling | 01/07/2025 |
| Batch Size | 120000.000 Tab | Sample Quantity | 60.000 Tab |
| Mfg. Date | 06/2025 | Exp. Date | 05/2028 |
| A. R. No. | ZL25FG05046 | Date Of Release | 25/08/2025 |

| S NO. | Tests | Specification | Results |
|-------|--|--|--------------|
| 1 | Description | White colour, rounded, film coated tablets and both sides are smooth. | Complies |
| 2 | Identification | Should be positive for Bisoprolol Fumarate. | Complies |
| 3 | Average Weight of Tablet | 120.0 mg \pm 7.5 % | 119.0 mg |
| 4 | Uniformity of Weight | Average weight of tablet \pm 7.5%. | Complies |
| 5 | Disintegration Test | Not more than 30 minutes | 01:45 Min |
| 6 | Uniformity of Content | NLT 85.0% and NMT 115.0% of the average Content | 95% to 104 % |
| 7 | Dissolution (%) | Not less than 80 % of the labeled amount of Bisoprolol dissolves in 20 minutes at 75 rpm in 900 ml medium Water. | 92% to 98 % |
| 8 | Assay Each film coated tablet contains: Bisoprolol Fumarate I.P. 5 mg | NLT 90.0% and NMT 105.0% of the labeled amount of Bisoprolol Fumarate | 100.5 % |

Remarks The above sample ~~complies/does not comply~~ with prescribed standards of Quality with respect to above tests as per IP/BP/USP/In house specification.

| Particulars | Prepared By | Checked By | Approved By |
|--------------|--------------|-------------|-----------------------------|
| Sign & Date | 25/08/2025 | Dheeraj | Q.C. MANAGER 22C10812025 |
| Name: | Rajivveer | Dheeraj | QC Manager |
| Designation: | Offices Q.C. | Autitngspec | QC Manager |