



ZEE LABORATORIES LTD
Behind 47, Industrial Area, Gondpur Paonta Sahib Sirmour HP INDIA 173025

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

(The Drugs & Cosmetics Act 1940 at the under form 39)

Work Order No. :

Document No. : 252619307

Ref. STS No.	134	Product Code	FG03101
Product Name	TAB. CLOPIRIL-75		
Generic Name	CLOPIDOGREL TABLETS I.P.		
Batch No.	425-1139	Date Of Sampling	10/06/2025
Batch Size	200000.000 Tab	Sample Quantity	60.000 Tab
Mfg. Date	05/2025	Exp. Date	04/2028
A. R. No.	ZL25FG04369	Date Of Release	16/06/2025

S NO.	Tests	Specification	Results
1	Description	An orange colour, Rounded, biconvex, film coated tablets both side are a plain.	Complies
2	Identification	In the Assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution (a).	Complies
3	Average Weight of Tablet	310.0 mg \pm 5.0 %	313.0 mg
4	Uniformity of Weight	Average weight of tablet \pm 5.0 %.	-0.96% to + 0.94%
5	Disintegration Test	Not more than 30 minutes	02:55 Min
6	Uniformity of content	NLT 85% to NMT 115% of the average content.	Complies
7	Dissolution (%)	Q. Not less than 80 % of the labeled amount of Clopidogrel in 900 ml of 0.1M HCl at 50 rpm and 30 minutes.	92% to 97 %
8	Related Substances	Clopidogrel impurity A: NMT 1.2% Clopidogrel impurity C: NMT 1.5% Any other impurity due to Clopidogrel (excluding impurity B): NMT 0.2% Sum of all the impurities (excluding impurity B): NMT 2.5%	Complies
9	Assay Each film coated tablet contains Clopidogrel Bisulphate I.P. Eq. to Clopidogrel 75 mg	NLT 90.0 % and NMT 110.0 % of the labeled amount of Clopidogrel	101.2 %

Remarks The above sample complies/does not comply with prescribed standards of Quality with respect to above tests as per IP/BP/USP/in house specification.

Particulars	Prepared By	Checked By	Approved By
Sign & Date	16/06/2025	16/06/2025	16/06/2025
Name:	Neetu	Dheeraj	Manjeet Singh
Designation:	Office @ C	Aut Manager	Manager QA