



ZEE LABORATORIES LTD
Behind 47, Industrial Area, Gondpur Paonta Sahib Sirmour HP INDIA 173025

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

(The Drugs & Cosmetics Act 1940 at the under form 39)

Work Order No. :

Document No. : 252627619

Ref. STS No.	264	Product Code	FG06512
Product Name	TAB. ATORZEE-F		
Generic Name	ATORVASTATIN & FENOFLIBRATE TABLETS I.P.		
Batch No.	425-1628	Date Of Sampling	13/08/2025
Batch Size	110000.000 Tab	Sample Quantity	60.000 Tab
Mfg. Date	07/2025	Exp. Date	06/2028
A. R. No.	ZL25FG06310	Date Of Release	19/08/2025

S NO.	Tests	Specification	Results
1	Description	Yellow colour, rounded, film coated tablets, scored in one side.	Complies
2	Identification	Should be positive for Atorvastatin and Fenofibrate	Complies
3	Average Weight of Tablet	485.0 mg \pm 5.0 %	480.4 mg
4	Uniformity of Weight	Average weight of tablet \pm 5.0%.	-1.13% to + 0.94%
5	Disintegration Test	Not more than 30 minutes	04:30 Min
6	Dissolution Test	Q Not less than 70.0% of the labeled amount of Atrovastatin and Fenofibrate	Atorva:92% to 96% Feno:91% to 96 %
7	Related Substances	Any Secondary Impurity: NMT 1.0 % Total Impurities: NMT 2.0 %	Complies
8	Uniformity of content	NLT 85.0 % to NMT 115.0 % of the labeled amount of Atorvastatin	Complies
9	Assay Each Film coated tablet contains : Atorvastatin Calcium I.P. Eq. to Atorvastatin 10 mg	NLT 90.0% and NMT 110.0% of the labeled amount of Atorvastatin	100.0 %
10	Fenofibrate I.P. 160mg	NLT 90.0% and NMT 110.0% of the labeled amount of Fenofibrate	98.3 %

Remarks The above sample complies/does not comply with prescribed standards of Quality with respect to above tests as per IP/BP/USP/In house specification.

Particulars	Prepared By	Checked By	Approved By QC MANAGER
Sign & Date	19/08/2025	19/08/2025	19/08/2025
Name:	Rajivveez	Dheeraj	Thakur Deep Singh
Designation:	Offices m/c	Autotest manager	QEM